



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 001 CENTRAL ADMINISTRATION</b>															
1A	ADMINISTRATION BUILDING 2 - JOISTED MASONRY (100 %), 123 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-46.8 Longitude: W 098-44-00.2	10/24/2018	A	1958	N	N	N	N	12	1	13,510	2,034,041	156,636	0	2,190,677
1B	OFFICE PORTABLE #1 1 - FRAME (100 %), 123 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-45.2 Longitude: W 098-44-02.5	10/24/2018	A	1999	N	N	N	N	10	1	1,536	202,104	17,935	0	220,039
1C	OFFICE PORTABLE #2 1 - FRAME (100 %), 123 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-45.2 Longitude: W 098-44-02.2	10/24/2018	A	2009	N	N	N	N	10	1	1,536	202,104	17,935	0	220,039
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 123 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	49,640	49,640
<b>Total Site</b>	<b>001 CENTRAL ADMINISTRATION</b>										<b>16,582</b>	<b>2,438,249</b>	<b>192,506</b>	<b>49,640</b>	<b>2,680,395</b>

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2A	FIELD HOUSE 4 - MASONRY NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-57.9 Longitude: W 098-42-42.2	10/26/2018	A	2017	N	Y	Y	N	14	1	5,248	1,101,526	20,327	0	1,121,853
2AA	SOFTBALL HOME DUGOUT 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.4 Longitude: W 098-42-47.0	10/26/2018	A	1999	N	N	N	N	8	1	300	17,728	0	0	17,728
2AB	SOFTBALL VISITOR DUGOUT 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-57.7 Longitude: W 098-42-48.4	10/26/2018	A	1999	N	N	N	N	9	1	300	17,728	0	0	17,728
2AC	SPIRIT SHACK BUILDING 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-54.7 Longitude: W 098-42-44.3	10/26/2018	A	1999	N	N	N	N	8	1	184	14,183	5,978	0	20,161

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2AD	BASEBALL BATTING CAGE 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.5 Longitude: W 098-42-49.4	10/26/2018	A	2016	N	N	N	N	18	1	2,522	163,102	5,978	0	169,080
2AE	SOFTBALL BATTING CAGE 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-58.0 Longitude: W 098-42-48.6	10/26/2018	A	2016	N	N	N	N	16	1	1,800	117,008	3,587	0	120,595
2AF	VOCATIONAL BUILDING 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-51.4 Longitude: W 098-42-31.2	10/26/2018	A	2016	N	Y	Y	Y	16	1	18,000	2,409,884	223,596	0	2,633,480
2AG	SECURITY BOOTH 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-48-01.2 Longitude: W 098-42-04.0	10/26/2018	A	2016	N	N	N	N	16	1	72	24,820	2,391	0	27,211
2AH	STORAGE CONTAINER 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-58.6 Longitude: W 098-31-22.2	10/26/2018	A	2016	N	N	N	N	8	1	320	4,728	2,391	0	7,119

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2AI	PORTABLE OFFICE BUILDING 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-48-00.9 Longitude: W 098-42-31.9	10/26/2018	A	2016	N	N	N	N	16	1	1,536	180,830	4,783	0	185,613
2B	MAIN HIGH SCHOOL BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-57.7 Longitude: W 098-42-36.9	10/26/2018	A	2009	N	Y	Y	Y	16	1	144,312	33,208,886	3,466,329	0	36,675,215
2C	GYMNASIUM/PHYSICAL EDUCATION BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-50.9 Longitude: W 098-42-38.5	10/26/2018	A	1971	N	Y	Y	N	20	1	43,090	8,694,020	307,294	0	9,001,314
2D	AUDITORIUM/BAND HALL 4 - MASONRY NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.3 Longitude: W 098-42-35.2	10/26/2018	A	1985	N	Y	Y	Y	23	1	33,587	9,700,994	389,798	0	10,090,792

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Firs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2E	MAINTENANCE OFFICE 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-48-00.7 Longitude: W 098-42-31.6	10/24/2018	A	1999	N	N	N	N	10	1	800	88,642	7,174	0	95,816
2F	FOOTBALL HOME PRESS BOX 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.5 Longitude: W 098-42-47.0	10/26/2018	A	1999	N	N	N	N	9	2	1,308	1,066,069	19,131	0	1,085,200
2G	TRACK STORAGE BUILDING 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-58.2 Longitude: W 098-42-49.4	10/26/2018	A	1982	N	N	N	N	9	1	704	52,003	22,718	0	74,721
2H	BAND CONCESSIONS BUILDING 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-53.3 Longitude: W 098-42-40.4	10/26/2018	A	1974	N	N	N	N	9	1	288	33,093	2,391	0	35,484
2I	FOOTBALL HOME TICKET BOOTH 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-53.9 Longitude: W 098-42-44.4	10/26/2018	A	2010	N	N	N	N	8	1	128	20,092	2,391	0	22,483

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Firs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2J	FOOTBALL HOME RESTROOMS 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-54.8 Longitude: W 098-42-44.2	10/26/2018	A	1999	N	N	N	N	9	1	400	152,464	1,196	0	153,660
2K	FOOTBALL VISITOR TICKET BOOTH 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-53.2 Longitude: W 098-42-40.3	10/26/2018	A	1999	N	N	N	N	8	1	81	15,365	1,196	0	16,561
2L	STADIUM RESTROOM BUILDING 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-53.0 Longitude: W 098-42-43.6	10/26/2018	A	1999	N	N	N	N	10	1	2,080	430,210	8,370	0	438,580
2M	FOOTBALL HOME CONCESSIONS 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-56.1 Longitude: W 098-42-44.2	10/26/2018	A	1999	N	N	N	N	9	1	648	74,459	7,174	0	81,633
2N	FOOTBALL PORTABLE BUILDING 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-52.3 Longitude: W 098-42-41.1	10/26/2018	A	1999	N	N	N	N	8	1	768	81,551	14,348	0	95,899

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2O	FOOTBALL VISITOR RESTROOM 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-54.6 Longitude: W 098-42-39.6	10/26/2018	A	1999	N	N	N	N	9	1	480	183,194	2,391	0	185,585
2P	AGRICULTURE BUILDING 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-48-00.6 Longitude: W 098-42-31.2	10/26/2018	A	1990	N	Y	Y	N	16	1	3,000	386,480	77,720	0	464,200
2Q	RED MAINTENANCE STORAGE 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-48-00.2 Longitude: W 098-42-30.6	10/26/2018	A	1980	N	N	N	N	10	1	640	40,184	15,544	0	55,728
2R	FOOTBALL STORAGE BUILDING 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.8 Longitude: W 098-42-39.5	10/26/2018	A	1999	N	N	N	N	9	1	936	59,095	15,544	0	74,639
2S	BASEBALL STORAGE SHED 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-56.9 Longitude: W 098-42-49.4	10/26/2018	A	2001	N	N	N	N	8	1	144	8,273	2,391	0	10,664

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2T	SOFTBALL STORAGE CONTAINER 3 - NON-COMBUSTIBLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-56.4 Longitude: W 098-42-48.7	10/26/2018	A	2001	N	N	N	N	8	1	160	11,819	2,391	0	14,210
2U	BASEBALL PRESS BOX/CONCESSIONS 1 - FRAME (60 %), 2 - JOISTED MASONRY (40 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-54.9 Longitude: W 098-42-47.2	10/26/2018	A	1990	N	N	N	N	10	2	840	74,459	5,978	0	80,437
2V	SOFTBALL PRESS BOX 1 - FRAME (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-56.1 Longitude: W 098-42-48.2	10/26/2018	A	2004	N	N	N	N	8	1	128	70,914	1,196	0	72,110
2W	BASEBALL LOCKER ROOM 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-56.4 Longitude: W 098-42-48.8	10/26/2018	A	2010	N	N	N	N	8	1	510	37,821	8,370	0	46,191

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.





## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 002 BOERNE HIGH SCHOOL</b>															
2X	SOFTBALL LOCKER ROOM 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-57.7 Longitude: W 098-42-48.6	10/26/2018	A	2010	N	N	N	N	8	1	280	21,274	4,783	0	26,057
2Y	BASEBALL HOME DUGOUT 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.3 Longitude: W 098-42-49.3	10/26/2018	A	1999	N	N	N	N	8	1	180	10,637	0	0	10,637
2Z	BASEBALL VISITOR DUGOUT 2 - JOISTED MASONRY (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: N 29-47-55.3 Longitude: W 098-42-48.7	10/26/2018	A	1999	N	N	N	N	8	1	180	10,637	0	0	10,637
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 1 GREYHOUND LANE BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	5,050,237	5,050,237
<b>Total Site</b>	<b>002 BOERNE HIGH SCHOOL</b>										<b>265,954</b>	<b>58,584,172</b>	<b>4,654,849</b>	<b>5,050,237</b>	<b>68,289,258</b>

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 003 MIDDLE SCHOOL NORTH</b>															
3B	CAFETERIA/BAND HALL 4 - MASONRY NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-46.7 Longitude: W 098-44-12.4	10/26/2018	A	1985	N	Y	Y	Y	14	1	11,818	2,448,886	298,925	0	2,747,811
3C	ADMINISTRATION/CLASSROOM BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-43.8 Longitude: W 098-44-12.1	10/26/2018	A	1985	N	Y	Y	P	15	1	39,370	7,106,735	657,634	0	7,764,369
3D	COMPETITION GYMNASIUM 4 - MASONRY NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-44.1 Longitude: W 098-44-12.3	10/26/2018	A	2010	N	Y	Y	Y	24	1	17,994	4,134,269	300,120	0	4,434,389
3E	GREENHOUSE 3 - NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-47.9 Longitude: W 098-44-14.8	10/26/2018	A	2006	N	N	N	N	5	1	48	1,182	0	0	1,182

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 003 MIDDLE SCHOOL NORTH</b>															
3F	CLASSROOM WING C AND D/LIBRARY 4 - MASONRY NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-46.1 Longitude: W 098-44-13.7	10/26/2018	A	1985	N	Y	Y	Y	13	2	36,639	6,730,892	1,071,345	0	7,802,237
3I	TICKET BOOTH 1 - FRAME (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-48.9 Longitude: W 098-44-12.6	10/26/2018	A	2000	N	N	N	N	7	1	48	3,546	0	0	3,546
3J	ART BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-45.2 Longitude: W 098-44-12.9	10/26/2018	A	2003	N	Y	Y	Y	13	1	1,880	440,847	39,458	0	480,305
3L	AUDITORIUM BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-45.8 Longitude: W 098-44-07.3	10/26/2018	A	2003	N	Y	Y	Y	28	1	15,475	4,625,937	179,355	0	4,805,292

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 003 MIDDLE SCHOOL NORTH</b>															
3M	FOOTBALL PRESS BOX 3 - NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-48.7 Longitude: W 098-44-09.4	10/26/2018	A	2016	N	N	N	N	8	1	640	290,746	4,783	0	295,529
3N	STORAGE CONTAINER 3 - NON-COMBUSTIBLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-46.7 Longitude: W 098-44-07.4	10/26/2018	A	2016	N	N	N	N	8	1	160	2,364	2,391	0	4,755
3O	GAZEBO 1 - FRAME (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-45.8 Longitude: W 098-44-12.4	10/26/2018	A	2003	N	N	N	N	8	1	144	8,273	0	0	8,273
3P	STORAGE SHED 1 - FRAME (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-46.2 Longitude: W 098-44-10.2	10/26/2018	A	2003	N	N	N	N	7	1	80	2,364	1,196	0	3,560
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 240 JOHNS ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	251,744	251,744

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Total Site</b>	<b>003 MIDDLE SCHOOL NORTH</b>										<b>124,296</b>	<b>25,796,041</b>	<b>2,555,207</b>	<b>251,744</b>	<b>28,602,992</b>
<b>Site:</b>	<b>004 ALTERNATIVE CAMPUS</b>														
4A	ALTERNATIVE CENTER #1 1 - FRAME (30 %), 2 - JOISTED MASONRY (70 %), 210 LIVE OAK STREET BOERNE, TX 78006  Latitude: N 29-47-46.8 Longitude: W 098-44-06.3	10/24/2018	A	1950	N	N	N	N	9	2	2,686	522,398	69,350	0	591,748
4B	ALTERNATIVE CENTER #2 1 - FRAME (100 %), 210 LIVE OAK STREET BOERNE, TX 78006  Latitude: N 29-47-48.4 Longitude: W 098-44-06.5	10/24/2018	A	1960	N	N	N	N	9	1	2,485	306,111	39,458	0	345,569
4C	PORTABLE BUILDING #1 1 - FRAME (100 %), 210 LIVE OAK STREET BOERNE, TX 78006  Latitude: N 29-47-49.5 Longitude: W 098-44-09.9	10/24/2018	A	2006	N	N	N	N	9	1	1,536	198,558	25,110	0	223,668
4D	PORTABLE BUILDING #2 1 - FRAME (100 %), 210 LIVE OAK STREET BOERNE, TX 78006  Latitude: N 29-47-47.8 Longitude: W 098-44-07.5	10/24/2018	A	2006	N	N	N	N	9	1	1,536	199,740	25,110	0	224,850

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Flrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 004 ALTERNATIVE CAMPUS</b>															
4E	PORTABLE BUILDING #3 1 - FRAME (100 %), 210 LIVE OAK STREET BOERNE, TX 78006  Latitude: N 29-47-49.4 Longitude: W 098-44-08.4	10/24/2018	A	2006	N	N	N	N	9	1	1,536	198,558	25,110	0	223,668
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 210 LIVE OAK STREET BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	3,546	3,546
<b>Total Site</b>	<b>004 ALTERNATIVE CAMPUS</b>										<b>9,779</b>	<b>1,425,365</b>	<b>184,138</b>	<b>3,546</b>	<b>1,613,049</b>
<b>Site: 005 KENDALL ELEMENTARY SCHOOL</b>															
5A	MAIN ELEMENTARY BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: N 29-45-41.4 Longitude: W 098-42-10.2	10/25/2018	A	2000	N	Y	Y	Y	14	1	79,349	14,053,913	1,920,291	0	15,974,204

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 005 KENDALL ELEMENTARY SCHOOL</b>															
5B	GYMNASIUM BUILDING 3 - NON-COMBUSTIBLE (20 %), 4 - MASONRY NON-COMBUSTIBLE (80 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: N 29-45-41.7 Longitude: W 098-42-07.5	10/25/2018	A	2000	N	Y	Y	Y	20	1	5,520	1,012,884	39,458	0	1,052,342
5C	PORTABLE BUILDING #1 1 - FRAME (100 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: N 29-45-48.2 Longitude: W 098-42-08.3	10/25/2018	A	2000	N	N	N	N	8	1	1,536	198,558	28,697	0	227,255
5D	PORTABLE BUILDING #2 1 - FRAME (100 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: N 29-45-48.3 Longitude: W 098-42-09.2	10/25/2018	A	2000	N	N	N	N	8	1	1,536	198,558	28,697	0	227,255
5E	STORAGE BUILDING 1 - FRAME (100 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: N 29-45-45.9 Longitude: W 098-42-06.5	10/25/2018	A	2000	N	N	N	N	8	1	192	17,728	3,587	0	21,315

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 005 KENDALL ELEMENTARY SCHOOL</b>															
5F	GREENHOUSE 3 - NON-COMBUSTIBLE (100 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: N 29-45-46.4 Longitude: W 098-42-08.3	10/25/2018	A	2000	N	N	N	N	6	1	108	3,546	0	0	3,546
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 141 OLD SAN ANTONIO ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	505,851	505,851
<b>Total Site</b>	<b>005 KENDALL ELEMENTARY SCHOOL</b>										<b>88,241</b>	<b>15,485,187</b>	<b>2,020,730</b>	<b>505,851</b>	<b>18,011,768</b>
<b>Site: 006 MIDDLE SCHOOL SOUTH</b>															
6A	MAIN MIDDLE SCHOOL BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-36.0 Longitude: W 098-42-10.6	10/24/2018	A	2000	N	Y	Y	Y	16	2	131,935	22,882,669	2,203,671	0	25,086,340

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.





## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 006 MIDDLE SCHOOL SOUTH</b>															
6B	CAFETERIA/BAND HALL 4 - MASONRY NON-COMBUSTIBLE (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-35.2 Longitude: W 098-42-08.8	10/24/2018	A	2000	N	Y	Y	Y	21	1	32,121	6,238,042	1,015,148	0	7,253,190
6C	PORTABLE CLASSROOM #1 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-34.9 Longitude: W 098-42-13.8	10/24/2018	A	2000	N	N	N	N	8	1	1,536	200,922	14,348	0	215,270
6D	PORTABLE CLASSROOM #2 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-34.8 Longitude: W 098-42-13.4	10/24/2018	A	2000	N	N	N	N	8	1	1,536	200,922	14,348	0	215,270
6E	PORTABLE CLASSROOM #3 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-34.8 Longitude: W 098-42-13.0	10/24/2018	A	2000	N	N	N	N	8	1	1,536	200,922	14,348	0	215,270

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Firs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 006 MIDDLE SCHOOL SOUTH</b>															
6F	STORAGE BUILDING 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-35.4 Longitude: W 098-42-12.2	10/24/2018	A	2001	N	N	N	N	8	1	288	9,455	4,783	0	14,238
6G	RESTROOM BUILDING 2 - JOISTED MASONRY (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-36.1 Longitude: W 098-42-16.6	10/24/2018	A	2002	N	N	N	N	9	1	560	215,105	5,978	0	221,083
6H	TICKET BOOTH 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-35.7 Longitude: W 098-42-16.6	10/24/2018	A	2004	N	N	N	N	8	1	96	16,547	1,196	0	17,743
6I	GREENHOUSE 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-35.4 Longitude: W 098-42-16.6	10/24/2018	A	2001	N	N	N	N	6	1	108	1,182	0	0	1,182
6J	FIELD STORAGE BUILDING #1 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-34.3 Longitude: W 098-42-17.7	10/24/2018	A	2001	N	N	N	N	8	1	224	7,091	3,587	0	10,678

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



**TASB Risk Management Fund**

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 006 MIDDLE SCHOOL SOUTH</b>															
6K	FIELD STORAGE BUILDING #2 1 - FRAME (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-41.4 Longitude: W 098-42-15.1	10/24/2018	A	2001	N	N	N	N	8	1	224	7,091	3,587	0	10,678
6L	CLASSROOM WING 4 - MASONRY NON-COMBUSTIBLE (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: N 29-45-38.8 Longitude: W 098-42-11.7	10/24/2018	A	2017	N	Y	Y	Y	14	2	35,559	6,558,335	594,262	0	7,152,597
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 10 CASCADE CAVERNS ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	774,141	774,141
<b>Total Site</b>	<b>006 MIDDLE SCHOOL SOUTH</b>										<b>205,723</b>	<b>36,538,283</b>	<b>3,875,256</b>	<b>774,141</b>	<b>41,187,680</b>

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 007 FAIR OAK RANCH ELEMENTARY SCHOOL</b>															
7A	MAIN ELEMENTARY BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 29085 RALPH FAIR ROAD BOERNE, TX 78006  Latitude: N 29-43-42.1 Longitude: W 098-37-25.5	10/25/2018	A	1995	N	Y	Y	Y	15	1	79,155	14,943,880	1,915,508	0	16,859,388
7B	PORTABLE CLASSROOM #1 1 - FRAME (100 %), 29085 RALPH FAIR ROAD BOERNE, TX 78006  Latitude: N 29-43-40.4 Longitude: W 098-37-27.4	10/25/2018	A	1995	N	N	N	N	9	1	1,536	202,104	14,348	0	216,452
7C	PORTABLE CLASSROOM #2 1 - FRAME (100 %), 29085 RALPH FAIR ROAD BOERNE, TX 78006  Latitude: N 29-43-40.4 Longitude: W 098-37-27.7	10/25/2018	A	1995	N	N	N	N	9	1	1,536	202,104	14,348	0	216,452
7D	PORTABLE CLASSROOM #3 1 - FRAME (100 %), 29085 RALPH FAIR ROAD BOERNE, TX 78006  Latitude: N 29-43-40.1 Longitude: W 098-37-27.3	10/25/2018	A	1995	N	N	N	N	9	1	1,536	202,104	14,348	0	216,452

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 007 FAIR OAK RANCH ELEMENTARY SCHOOL</b>															
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 29085 RALPH FAIR ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	251,744	251,744
<b>Total Site</b>	<b>007 FAIR OAK RANCH ELEMENTARY SCHOOL</b>										<b>83,763</b>	<b>15,550,192</b>	<b>1,958,552</b>	<b>251,744</b>	<b>17,760,488</b>
<b>Site: 008 FABRA ELEMENTARY SCHOOL</b>															
8A	NEW ADMINISTRATION BUILDING 2 - JOISTED MASONRY (40 %), 4 - MASONRY NON-COMBUSTIBLE (60 %), 235 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-42.5 Longitude: W 098-44-11.5	10/24/2018	A	1948	N	Y	Y	P	13	1	63,266	10,407,767	1,644,085	0	12,051,852
8B	ANNEX BUILDING 2 - JOISTED MASONRY (50 %), 4 - MASONRY NON-COMBUSTIBLE (50 %), 235 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-41.5 Longitude: W 098-44-07.7	10/24/2018	A	1951	N	Y	Y	P	12	1	13,088	2,030,496	309,686	0	2,340,182

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Flrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 008 FABRA ELEMENTARY SCHOOL</b>															
8G	PICNIC PAVILION 3 - NON-COMBUSTIBLE (100 %), 235 JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-41.4 Longitude: W 098-44-12.0	10/24/2018	A	2009	N	N	N	N	9	1	576	22,456	0	0	22,456
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 235 JOHNS ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	87,460	87,460
<b>Total Site</b>	<b>008 FABRA ELEMENTARY SCHOOL</b>										<b>76,930</b>	<b>12,460,719</b>	<b>1,953,771</b>	<b>87,460</b>	<b>14,501,950</b>
<b>Site: 009 CIBOLO CREEK ELEMENTARY</b>															
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	476,304	476,304
9A	MAIN ELEMENTARY BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-01.5 Longitude: W 098-41-55.4	10/24/2018	A	2006	N	Y	Y	N	14	1	78,933	13,753,712	1,910,725	0	15,664,437

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Flrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 009 CIBOLO CREEK ELEMENTARY</b>															
9B	GYMNASIUM BUILDING 3 - NON-COMBUSTIBLE (20 %), 4 - MASONRY NON-COMBUSTIBLE (80 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-00.0 Longitude: W 098-41-51.8	10/24/2018	A	2006	N	Y	Y	N	22	1	5,952	1,123,982	43,045	0	1,167,027
9D	PORTABLE BUILDING #1 1 - FRAME (100 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-57.6 Longitude: W 098-41-55.6	10/24/2018	A	2006	N	N	N	N	8	1	1,536	200,922	14,348	0	215,270
9E	PORTABLE BUILDING #2 1 - FRAME (100 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-57.3 Longitude: W 098-41-56.8	10/24/2018	A	2006	N	N	N	N	9	1	1,536	200,922	14,348	0	215,270
9F	PICNIC PAVILION 1 - FRAME (100 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-59.4 Longitude: W 098-41-54.8	10/24/2018	A	2017	N	N	N	N	9	1	660	27,184	0	0	27,184

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



**TASB Risk Management Fund**

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 009 CIBOLO CREEK ELEMENTARY</b>															
9G	STORAGE SHED 1 - FRAME (100 %), 300 HERFF RANCH BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-57.2 Longitude: W 098-41-51.0	10/24/2018	A	2017	N	N	N	N	9	1	96	3,546	1,196	0	4,742
<b>Total Site</b>	<b>009 CIBOLO CREEK ELEMENTARY</b>										<b>88,713</b>	<b>15,310,268</b>	<b>1,983,662</b>	<b>476,304</b>	<b>17,770,234</b>
<b>Site: 010 MAINTENANCE COMPLEX</b>															
10A	MAINTENANCE/GROUNDS BUILDING 3 - NON-COMBUSTIBLE (100 %), 137 INDUSTRIAL DRIVE BOERNE, TX 78006  Latitude: N 29-45-51.6 Longitude: W 098-42-38.2	10/24/2018	A	2006	N	N	N	N	16	1	9,000	633,496	209,247	0	842,743
10B	MAINTENANCE GARAGE 3 - NON-COMBUSTIBLE (100 %), 137 INDUSTRIAL DRIVE BOERNE, TX 78006  Latitude: N 29-45-54.8 Longitude: W 098-42-38.0	10/24/2018	A	1999	N	N	N	N	15	1	1,600	60,277	11,957	0	72,234

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.





## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 010 MAINTENANCE COMPLEX</b>															
10C	PORTABLE STORAGE BUILDING 1 - FRAME (100 %), 137 INDUSTRIAL DRIVE BOERNE, TX 78006  Latitude: N 29-45-52.0 Longitude: W 098-42-38.9	10/24/2018	A	2008	N	N	N	N	8	1	1,536	195,013	28,697	0	223,710
10D	VEHICLE PAVILION 3 - NON-COMBUSTIBLE (100 %), 137 INDUSTRIAL DRIVE BOERNE, TX 78006  Latitude: N 29-45-53.6 Longitude: W 098-42-38.9	10/24/2018	A	2008	N	N	N	N	10	1	2,600	93,370	0	0	93,370
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 137 INDUSTRIAL DRIVE BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	33,093	33,093
<b>Total Site</b>	<b>010 MAINTENANCE COMPLEX</b>										<b>14,736</b>	<b>982,156</b>	<b>249,901</b>	<b>33,093</b>	<b>1,265,150</b>
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11A	MAIN HIGH SCHOOL BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-07.8 Longitude: W 098-42-18.0	10/25/2018	A	2008	Y	Y	Y	Y	16	1	239,198	49,134,921	5,746,525	0	54,881,446

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11AA	SOFTBALL BATTING CAGE 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-13.5 Longitude: W 098-42-11.3	10/25/2018	A	2016	N	Y	Y	Y	16	1	1,800	118,190	3,587	0	121,777
11AB	BASEBALL BATTING CAGE 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-14.2 Longitude: W 098-42-12.0	10/25/2018	A	2016	N	N	N	N	16	1	3,200	190,285	5,978	0	196,263
11B	GYMNASIUM BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-07.8 Longitude: W 098-42-17.7	10/25/2018	A	2008	Y	Y	Y	Y	28	1	54,471	11,393,468	388,602	0	11,782,070
11C	AGRICULTURE SHOP 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-00.1 Longitude: W 098-42-11.1	10/25/2018	A	2008	N	Y	Y	Y	16	1	10,010	1,381,635	346,752	0	1,728,387

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11D	VOCATIONAL BUILDING 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-02.9 Longitude: W 098-42-12.2	10/25/2018	A	2008	N	Y	Y	Y	15	1	4,455	720,956	154,245	0	875,201
11E	INDUSTRIAL ARTS SHOP 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-59.4 Longitude: W 098-42-12.0	10/25/2018	A	2008	N	Y	Y	Y	16	1	3,100	482,213	107,613	0	589,826
11F	AUTOMOTIVE TECHNOLOGY SHOP 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-59.5 Longitude: W 098-42-10.2	10/25/2018	A	2008	N	Y	Y	Y	16	1	6,100	911,241	211,639	0	1,122,880
11G	CONCESSION/RESTROOM BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-13.6 Longitude: W 098-42-07.2	10/25/2018	A	2008	N	N	N	N	12	1	2,722	495,214	28,697	0	523,911

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Firs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11J	ATHLETIC STORAGE BUILDING 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-14.4 Longitude: W 098-42-07.5	10/25/2018	A	2008	N	N	N	N	8	1	512	34,275	8,370	0	42,645
11K	TENNIS STORAGE BUILDING 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-13.9 Longitude: W 098-42-07.5	10/25/2018	A	2008	N	N	N	N	8	1	144	9,455	2,391	0	11,846
11L	BASEBALL HOME DUGOUT 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-13.7 Longitude: W 098-42-09.5	10/25/2018	A	2008	N	N	N	N	8	1	403	27,184	0	0	27,184
11M	BASEBALL PRESS BOX 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-13.5 Longitude: W 098-42-09.3	10/25/2018	A	2008	N	N	N	N	8	1	96	53,185	1,196	0	54,381
11N	BASEBALL VISITOR DUGOUT 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-14.2 Longitude: W 098-42-09.2	10/25/2018	A	2008	N	N	N	N	8	1	403	27,184	0	0	27,184

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11O	BASEBALL STORAGE BUILDING 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-15.1 Longitude: W 098-42-10.8	10/25/2018	A	2008	N	N	N	N	9	1	525	34,275	9,566	0	43,841
11P	SOFTBALL HOME DUGOUT 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-12.8 Longitude: W 098-42-11.1	10/25/2018	A	2008	N	N	N	N	8	1	341	22,456	0	0	22,456
11Q	SOFTBALL PRESS BOX 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-12.6 Longitude: W 098-42-09.8	10/25/2018	A	2008	N	N	N	N	8	1	96	53,185	1,196	0	54,381
11R	SOFTBALL VISITOR DUGOUT 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-11.6 Longitude: W 098-42-10.3	10/25/2018	A	2008	N	N	N	N	8	1	341	22,456	0	0	22,456
11S	FOOTBALL PRESS BOX 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-12.6 Longitude: W 098-42-09.7	10/25/2018	A	2008	N	N	N	N	8	1	240	367,569	3,587	0	371,156

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Firs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11T	TICKET BOOTH 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-10.2 Longitude: W 098-42-11.1	10/25/2018	A	2008	N	N	N	N	8	1	96	17,728	3,587	0	21,315
11U	SECURITY BOOTH 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-09.5 Longitude: W 098-42-21.3	10/25/2018	A	2008	N	N	N	N	8	1	64	23,638	2,391	0	26,029
11V	WASH BUILDING 3 - NON-COMBUSTIBLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-59.9 Longitude: W 098-42-09.5	10/25/2018	A	2016	N	Y	Y	Y	15	1	4,000	498,760	138,701	0	637,461
11W	ANIMAL STORAGE/CAGE 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-58.3 Longitude: W 098-42-08.7	10/25/2018	A	2010	N	N	N	N	8	1	160	4,728	0	0	4,728
11X	STORAGE SHED #1 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-06.2 Longitude: W 098-42-13.3	10/25/2018	A	2010	N	N	N	N	8	1	120	3,546	2,391	0	5,937

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 011 SAMUEL CHAMPION HIGH SCHOOL</b>															
11Y	SOFTBALL STORAGE SHED 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-47-13.2 Longitude: W 098-42-11.4	10/25/2018	A	2016	N	N	N	N	8	1	160	4,728	2,391	0	7,119
11Z	STORAGE SHED #2 1 - FRAME (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: N 29-46-58.4 Longitude: W 098-42-08.8	10/25/2018	A	2010	N	N	N	N	8	1	120	3,546	0	0	3,546
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 201 CHARGER BOULEVARD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	3,395,584	3,395,584
<b>Total Site</b>	<b>011 SAMUEL CHAMPION HIGH SCHOOL</b>										<b>332,877</b>	<b>66,036,021</b>	<b>7,169,405</b>	<b>3,395,584</b>	<b>76,601,010</b>
<b>Site: 012 CURINGTON ELEMENTARY SCHOOL</b>															
12A	GYMNASIUM BUILDING 3 - NON-COMBUSTIBLE (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-09.3 Longitude: W 098-43-40.8	10/24/2018	A	1985	N	Y	N	N	18	1	6,300	875,784	45,437	0	921,221

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 012 CURINGTON ELEMENTARY SCHOOL</b>															
12B	CAFETERIA BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-14.1 Longitude: W 098-43-37.2	10/24/2018	A	1985	N	Y	Y	N	16	1	7,126	1,382,817	180,550	0	1,563,367
12C	MAIN ELEMENTARY BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-13.2 Longitude: W 098-43-39.6	10/24/2018	A	1985	Y	Y	Y	N	13	1	66,633	11,251,640	1,612,997	0	12,864,637
12D	KINDERGARTEN BUILDING 2 - JOISTED MASONRY (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-10.9 Longitude: W 098-43-40.8	10/24/2018	A	2002	Y	Y	Y	N	12	1	8,855	1,277,628	214,030	0	1,491,658
12E	WALK-IN COOLER 3 - NON-COMBUSTIBLE (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-14.0 Longitude: W 098-43-36.3	10/24/2018	A	2016	N	N	N	N	8	1	136	34,275	1,196	0	35,471

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.





## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 012 CURINGTON ELEMENTARY SCHOOL</b>															
12F	PICNIC PAVILION 3 - NON-COMBUSTIBLE (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-10.2 Longitude: W 098-43-38.4	10/25/2018	A	2002	N	N	N	N	10	1	1,250	33,093	0	0	33,093
12G	PORTABLE BUILDING #1 1 - FRAME (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-06.1 Longitude: W 098-43-42.3	10/25/2018	A	2002	N	N	N	N	9	1	1,536	193,831	37,067	0	230,898
12H	PORTABLE BUILDING #2 1 - FRAME (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-08.4 Longitude: W 098-43-42.1	10/25/2018	A	2002	N	N	N	N	9	1	1,536	199,740	37,067	0	236,807
12I	PORTABLE BUILDING #3 1 - FRAME (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-09.3 Longitude: W 098-43-42.1	10/25/2018	A	2002	N	N	N	N	9	1	1,536	193,831	37,067	0	230,898
12M	PORTABLE BUILDING #7 1 - FRAME (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-13.0 Longitude: W 098-43-41.9	10/25/2018	A	2002	N	N	N	N	9	1	1,536	200,922	37,067	0	237,989

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Flrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 012 CURINGTON ELEMENTARY SCHOOL</b>															
12N	PORTABLE BUILDING #8 1 - FRAME (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: N 29-48-13.4 Longitude: W 098-43-41.9	10/25/2018	A	2002	N	N	N	N	9	1	1,536	200,922	37,067	0	237,989
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 601 ADLER ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	464,485	464,485
<b>Total Site</b>	<b>012 CURINGTON ELEMENTARY SCHOOL</b>										<b>97,980</b>	<b>15,844,483</b>	<b>2,239,545</b>	<b>464,485</b>	<b>18,548,513</b>
<b>Site: 013 TRANSPORTATION COMPLEX</b>															
13C	DISTRICT TRANSPORTATION BUILDING 3 - NON-COMBUSTIBLE (100 %), 320 SOUTH ESSER ROAD BOERNE, TX 78006  Latitude: N 29-47-31.2 Longitude: W 098-43-02.9	10/24/2018	A	2001	N	N	N	N	18	1	13,268	1,706,656	308,490	0	2,015,146
13D	VEHICLE PAVILION 3 - NON-COMBUSTIBLE (100 %), 320 SOUTH ESSER ROAD BOERNE, TX 78006  Latitude: N 29-47-32.3 Longitude: W 098-43-01.9	10/24/2018	A	2017	N	N	N	N	16	1	3,872	140,646	0	0	140,646

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 013 TRANSPORTATION COMPLEX</b>															
13E	FUEL CHEMICAL BUILDING 3 - NON-COMBUSTIBLE (100 %), 320 SOUTH ESSER ROAD BOERNE, TX 78006  Latitude: N 29-47-32.3 Longitude: W 098-43-01.0	10/24/2018	A	2017	N	N	N	N	16	1	36	2,364	1,196	0	3,560
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 320 SOUTH ESSER ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	585,038	585,038
<b>Total Site</b>	<b>013 TRANSPORTATION COMPLEX</b>										<b>17,176</b>	<b>1,849,666</b>	<b>309,686</b>	<b>585,038</b>	<b>2,744,390</b>
<b>Site: 014 FABRE ELEMENTARY CAMPUS</b>															
14A	MAIN ELEMENTARY BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 723 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-39.9 Longitude: W 098-44-49.7	10/26/2018	A	2017	Y	Y	Y	Y	15	2	98,386	21,599,131	2,380,635	0	23,979,766
14B	STORAGE SHED #1 1 - FRAME (100 %), 723 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-36.0 Longitude: W 098-44-50.8	10/26/2018	A	2017	N	N	N	N	8	1	120	4,728	2,391	0	7,119

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Ftrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 014 FABRE ELEMENTARY CAMPUS</b>															
14C	STORAGE SHED #2 1 - FRAME (100 %), 723 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: N 29-47-40.5 Longitude: W 098-44-54.2	10/26/2018	A	2017	N	N	N	N	8	1	168	4,728	2,391	0	7,119
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 723 WEST JOHNS ROAD BOERNE, TX 78006  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	427,846	427,846
<b>Total Site</b>	<b>014 FABRE ELEMENTARY CAMPUS</b>										<b>98,674</b>	<b>21,608,587</b>	<b>2,385,417</b>	<b>427,846</b>	<b>24,421,850</b>
<b>Site: 015 VAN RAUB ELEMENTARY SCHOOL</b>															
15A	MAIN ELEMENTARY BUILDING 4 - MASONRY NON-COMBUSTIBLE (100 %), 8776 DIETZ ELKHORN ROAD FAIR OAKS RANCH, TX 78015  Latitude: N 29-43-50.2 Longitude: W 098-39-28.5	10/26/2018	A	2017	Y	Y	Y	Y	15	2	99,746	21,843,783	2,414,114	0	24,257,897
15B	PLAYGROUND STORAGE BUILDING 2 - JOISTED MASONRY (100 %), 8776 DIETZ ELKHORN ROAD FAIR OAKS RANCH, TX 78015  Latitude: N 29-43-46.1 Longitude: W 098-39-27.8	10/26/2018	A	2017	N	N	N	N	9	1	400	23,638	3,587	0	27,225

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.

This Report may contain information or values which have been altered since the original scope of service. This should not be considered an opinion of value by American Appraisal and, therefore, it should not be relied upon by the user of this report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 015 VAN RAUB ELEMENTARY SCHOOL</b>															
15C	STORAGE SHED 1 - FRAME (100 %), 8776 DIETZ ELKHORN ROAD FAIR OAKS RANCH, TX 78015  Latitude: N 29-43-49.0 Longitude: W 098-39-32.1	10/26/2018	A	2017	N	N	N	N	8	1	168	4,728	2,391	0	7,119
15D	OLD SCHOOL BUILDING 1 - FRAME (100 %), 8776 DIETZ ELKHORN ROAD FAIR OAKS RANCH, TX 78015  Latitude: N 29-43-49.8 Longitude: W 098-39-36.6	10/26/2018	A	2000	N	N	N	N	11	1	1,296	237,561	0	0	237,561
999	LAND IMPROVEMENTS X - NOT APPLICABLE (100 %), 8776 DIETZ ELKHORN ROAD FAIR OAKS RANCH, TX 78015  Latitude: Longitude:		A	0	N	N	N	N	0	0	0	0	0	414,845	414,845
<b>Total Site</b>	<b>015 VAN RAUB ELEMENTARY SCHOOL</b>										<b>101,610</b>	<b>22,109,710</b>	<b>2,420,092</b>	<b>414,845</b>	<b>24,944,647</b>

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.



## Statement Of Insurable Values



TASB Risk Management Fund

Bldg ID	Building Name, Construction Type And Address	Date of Inspection	Scope of Service*	Year Built	Entry Alarm	Manual Fire Alarm	Auto Fire Alarm	Sprink- ler	Avg. Story Hght	Fhrs	Total Sq. Ft.	Building CRN	Contents CRN	Land Improv. CRN	Total CRN
<b>Member: 130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>															
<b>Site: 016 HERFF ELEMENTARY SCHOOL</b>															
453140	MAIN BUILDING - CLASSROOMS & ADMINISTRATION 3 - NON-COMBUSTIBLE 604 ESPERANZA BLVD. BOERNE, TX 78006  Latitude: Longitude:		C	2019	Y	Y	Y	Y	1	2	102,651	31,911,165	1,913,117	0	33,824,282
<b>Total Site</b>	<b>016 HERFF ELEMENTARY SCHOOL</b>										<b>102,651</b>	<b>31,911,165</b>	<b>1,913,117</b>	<b>0</b>	<b>33,824,282</b>
<b>Site: 017 VOSS MIDDLE SCHOOL</b>															
452696	ADMINISTRATIVE/CLASSROOM BUILDING 4 - MASONRY NON-COMBUSTIBLE 45 VOSS PARKWAY BOERNE, TX 78006  Latitude: Longitude:		C	2019	Y	Y	Y	Y	2	2	199,567	55,549,065	3,467,524	5,909,475	64,926,064
<b>Total Site</b>	<b>017 VOSS MIDDLE SCHOOL</b>										<b>199,567</b>	<b>55,549,065</b>	<b>3,467,524</b>	<b>5,909,475</b>	<b>64,926,064</b>
<b>Total Member</b>	<b>130901 BOERNE INDEPENDENT SCHOOL DISTRICT</b>										<b>1,925,252</b>	<b>399,479,329</b>	<b>39,533,358</b>	<b>18,681,033</b>	<b>457,693,720</b>
<b>Grand Total:</b>											<b>1,925,252</b>	<b>399,479,329</b>	<b>39,533,358</b>	<b>18,681,033</b>	<b>457,693,720</b>

\* The Scope of Service is indicated as follows: (A) full scope appraisal, (C) client supplied data, (D) desk top analysis, (T) trend analysis, (BV) building value client supplied, (CV) content value client supplied. See accompanying summary appraisal report.